

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 8/5/2021 Supersedes version of: 8/5/2021 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : 72075 - WAVE POWER ADVANTAGE LE 5W-40

Product code : 72075
Type of product : Lubricant

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use

Industrial/Professional use spec : Industrial

For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

North Sea Lubricants B.V. B.V.

Ampèrestraat 5

NL- 3846AN Harderwijk

The Netherlands

T+31 651345369

support@northsealubricants.com - www.northsealubricants.com

1.4. Emergency telephone number

Emergency number : +31 (0)786527652

Monday to Friday: 09:00 - 16:00 (CET)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

Other hazards which do not result in classification : Flammable liquids. Prolonged or repeated skin contact with the material will remove natural

oils which leads to a dermatitis. Spills of this product present a serious slipping hazard.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

8/5/2021 (Issue date) EU - en 1/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil substance with national workplace exposure limit(s) (BE, BG, CZ, DK, HR, NL, NO); substance with a Community workplace exposure limit	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	50 – 75	Asp. Tox. 1, H304
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	CAS-No.: 72623-87-1 EC-No.: 276-738-4 EC Index-No.: 649-483-00-5 REACH-no: 01-211947-4889	10 – 25	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light paraffinic; Baseoil substance with national workplace exposure limit(s) (BE, NL)	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077-	2.5 – 10	Not classified
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil substance with national workplace exposure limit(s) (BG, CZ, DK, HR, NL); substance with a Community workplace exposure limit	CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27	1 – 2.5	Asp. Tox. 1, H304
Phenol, dodecyl-, sulfurized, carbonates,calcium salts, overbased	EC-No.: 701-251-5 REACH-no: 01-2119524004- 56	0.5 – 2.5	Aquatic Chronic 4, H413

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact

: Wash skin with plenty of water. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact

: Rinse eyes with water as a precaution. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion

: Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : After adequate first aid, no further treatment is required unless symptoms reappear. Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : After adequate first aid, no further treatment is required unless symptoms reappear.

Symptoms/effects after skin contact : After adequate first aid, no further treatment is required unless symptoms reappear.

Symptoms/effects after eye contact : After adequate first aid, no further treatment is required unless symptoms reappear.

8/5/2021 (Issue date) EU - en 2/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread. Do not use a heavy water

stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing. Do not enter fire area without proper

protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Eliminate all ignition sources if safe to do so.

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Wear suitable

protective clothing, gloves and eye/face protection. For further information refer to section 8:

"Exposure controls/personal protection". Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Wash

hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of

vapour.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

8/5/2021 (Issue date) EU - en 3/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Direct sunlight. Heat sources. Store in a well-ventilated place. Keep cool. Keep only in the

original container in a cool, well ventilated place away from : Keep container closed when

not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

: 50 °C

Storage area : Store away from heat. Store in a well-ventilated place.
Special rules on packaging : Store in a closed container. Keep only in original container.

7.3. Specific end use(s)

Storage temperature

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7)						
EU - Indicative Occupational Exposure Limit (IOEL)						
IOEL TWA	5 mg/m³					
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0)						
EU - Indicative Occupational Exposure Limit (IOEL)						
IOEL TWA 5 mg/m³						
IOEL STEL	10 mg/m³					

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2.2. Skin protection

Hand protection	d protection										
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard						
	Nitrile rubber (NBR), Neoprene rubber (HNBR)	5 (> 240 minutes)	0.7	3 (> 0.65)	EN ISO 374						
	Polyvinylchloride (PVC)	2 (> 30 minutes)	0.4	3 (> 0.65)	EN ISO 374						

8.2.2.3. Respiratory protection

No additional information available

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: LiquidColour: Brown.Odour: characteristic.Odour threshold: Not availableMelting point: Not applicableFreezing point: -36 °C

Boiling point : Not available

Flammability : Not applicable, Non flammable.

Explosive limits : Not available Lower explosive limit (LEL) : Not available Upper explosive limit (UEL) : Not available Flash point : > 201 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available рΗ : 83.9 mm²/s @40°C Viscosity, kinematic Solubility : insoluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available Density : 849 kg/m3 @15°C Relative density : Not available Relative vapour density at 20 °C : Not available : Not applicable Particle size Particle size distribution : Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable Particle aggregation state : Not applicable Particle agglomeration state : Not applicable Particle specific surface area : Not applicable

9.2. Other information

Particle dustiness

9.2.1. Information with regard to physical hazard classes

No additional information available

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

LC50 inhalation (rat) (Vapours - mg/l/4h)

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Distillates (petroleum), hydrotreated heavy pa	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7)							
LD50 oral (rat)	> 5000 mg/kg bodyweight							
LD50 dermal (rabbit)	> 5000 mg/kg							
LC50 inhalation (rat) (Vapours - mg/l/4h)	> 5.53 mg/l/4h							
Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8)								
LD50 oral (rat)	> 5000 mg/kg							
LD50 dermal (rabbit)	> 5000 mg/kg							
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	> 5.53 mg/l/4h							
Lubricating oils (petroleum), C20-50, hydrotre	ated neutral oil-based (72623-87-1)							
LD50 oral (rat)	> 5000 mg/kg bodyweight							
LD50 dermal (rabbit)	> 2000 mg/kg							
LC50 inhalation (rat) (Dust/Mist - mg/l/4h)	≥ 5.53 mg/l/4h							
Distillates (petroleum), solvent-dewaxed heav	Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0)							
LD50 oral (rat)	> 5000 mg/kg bodyweight							
LD50 dermal (rabbit)	> 5000 mg/kg							

> 5.53 mg/l/4h

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Phenol, dodecyl-, sulfurized, carbonates,calcium salts, overbased							
LD50 oral (rat)	> 5000 mg/kg						
LD50 dermal (rabbit)	> 4000 μg/kg						
LC50 inhalation (rat) (Vapours - mg/l/4h)	> 0.835 mg/l/4h						
Skin corrosion/irritation : Additional information : Serious eye damage/irritation : Additional information : Additional information : Respiratory or skin sensitisation : Additional information : Additional information : Additional information : Germ cell mutagenicity : Additional information : Carcinogenicity : Additional information : Reproductive toxicity : Additional information : STOT-single exposure : Additional information : STOT-repeated exposure : Additional information : STOT-repeated exposure : Additional information : Additional : Addit	Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met						
Distillates (petroleum), hydrotreated heavy p	araffinic; Baseoil (64742-54-7)						
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight						
Distillates (petroleum), hydrotreated light par	raffinic; Baseoil (64742-55-8)						
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)						
Distillates (petroleum), solvent-dewaxed hea	vy paraffinic; Baseoil (64742-65-0)						
LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight						
NOAEL (dermal, rat/rabbit, 90 days)	≈ 1000 mg/kg bodyweight						
Aspiration hazard : Additional information :	Not classified Based on available data, the classification criteria are not met						
72075 - WAVE POWER ADVANTAGE LE 5W-	40						
Viscosity, kinematic	83.9 mm²/s @40°C						
	•						

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms

: Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

 $\label{thm:continuous} \mbox{Hazardous to the aquatic environment, short-term}$

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

8/5/2021 (Issue date) EU - en 7/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7)						
LC50 - Fish [1]	> 100 mg/l Pimephales promelas					
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna					
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss					
NOEC chronic crustacea	10 mg/l Daphnia magna					
NOEC chronic algae	> 100 mg/l Pseudokirchneriella subcapitata					
Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8)						
LC50 - Fish [1]	> 100 mg/l Pimephales promelas					
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna					
NOEC chronic fish	≥ 1000 mg/l Oncorhynchus mykiss					
NOEC chronic crustacea	10 mg/l Daphnia magna					
NOEC chronic algae	≥ 100 mg/l Pseudokirchneriella subcapitata					
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)						
LC50 - Fish [1]	> 100 mg/l					
Distillates (petroleum), solvent-dewaxed heav	y paraffinic; Baseoil (64742-65-0)					
LC50 - Fish [1]	> 100 mg/l Pimephales promelas					
EC50 - Crustacea [1]	> 10000 mg/l Daphnia magna					
NOEC chronic fish	1000 mg/l Oncorhynchus mykiss					
NOEC chronic crustacea	10 mg/l Daphnia magna					
NOEC chronic algae	> 100 mg/l Pseudokirchneriella subcapitata					
Phenol, dodecyl-, sulfurized, carbonates,calci	um salts, overbased					
LC50 - Fish [1]	> 1000 mg/l Pimephales promelas					
EC50 - Crustacea [1]	> 1000 mg/l Daphnia magna					
EC50 96h - Algae [1]	> 500 mg/l Pseudokirchneriella subcapitata					

12.2. Persistence and degradability

•							
72075 - WAVE POWER ADVANTAGE LE 5W-4	0						
Persistence and degradability	Not established.						
Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7)							
Persistence and degradability	Not readily biodegradable.						
Biodegradation	31 % 28 d OECD 301F						
Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8)							
Biodegradation 31 % 28 d, OECD TG 301 F							
Distillates (petroleum), solvent-dewaxed heav	y paraffinic; Baseoil (64742-65-0)						
Persistence and degradability	Not readily biodegradable.						
Biodegradation	31 % 28 d OECD 301F						
Phenol, dodecyl-, sulfurized, carbonates,calcium salts, overbased							
Persistence and degradability	Not readily biodegradable.						
Biodegradation	13.4 % OECD 301B 28 days						

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential

,	7	ว	n	٦	7	5		٦	٨	1	۸	V	/E			1	٦	v	v	E	ī	5	۸	г	١	V	7	V	ĸ	r	т	۸	₹	2	ī		т	п	=	ı		٨	ī	1	1	١	
7		Z	u		1	•	-	-	w	II.	Δ)	v		=	Р	u	J	v	v		4	₹	ш	ш	,	v	-	A	n	4		∕△	N	u	ь	=	ш	4	=	н	м	'Α	٧.	-4	н	J	

Bioaccumulative potential Not established.

Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil (64742-54-7)

Partition coefficient n-octanol/water (Log Kow) > 4

Distillates (petroleum), hydrotreated light paraffinic; Baseoil (64742-55-8)

Partition coefficient n-octanol/water (Log Pow) > 6

Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0)

Bioconcentration factor (BCF REACH) 260

Partition coefficient n-octanol/water (Log Pow) 9.2

Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased

Partition coefficient n-octanol/water (Log Pow) 9.5

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IDG IATA ADN							
14.1. UN number or ID n	14.1. UN number or ID number								
Not applicable	Not applicable Not applicable Not applicable Not applicable								
14.2. UN proper shipping name									
Not applicable	licable Not applicable Not applicable Not applicable Not applicable								
14.3. Transport hazard	class(es)								
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable					
14.4. Packing group	14.4. Packing group								
Not applicable	Not applicable Not applicable Not applicable Not applicable Not applicable								

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	IATA ADN						
14.5. Environmental hazards									
Not applicable	Not applicable Not applicable Not applicable Not applicable Not applicable								
No supplementary information	n available								

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text	of H- and	FUH-stat	tements:

Aquatic Chronic 4 Hazardous to the aquatic environment — Chronic Hazard, Category 4

8/5/2021 (Issue date) EU - en 10/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:								
Asp. Tox. 1 Aspiration hazard, Category 1								
EUH210 Safety data sheet available on request.								
H304	May be fatal if swallowed and enters airways.							
H413 May cause long lasting harmful effects to aquatic life.								

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.