

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 01/02/2021 Revision date: 27/12/2021 Supersedes version of: 01/02/2021 Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : 72801 - TIDAL POWER SPECIAL UHPD 5W-20

Product code : 72801
Type of product : Lubricant

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

North Sea Lubricants B.V. B.V.

Ampèrestraat 5

NL- 3846AN Harderwijk

The Netherlands

T+31 651345369

support@northsealubricants.com - www.northsealubricants.com

1.4. Emergency telephone number

Emergency number : +31 (0)786527652

Monday to Friday: 09:00 - 16:00 (CET)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

2.3. Other hazards

Other hazards which do not result in classification : Flammable liquids. Prolonged or repeated skin contact with the material will remove natural oils which leads to a dermatitis. Spills of this product present a serious slipping hazard.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|-----------|---|
| Distillates (petroleum), hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (AT, BE, BG, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IT, LT, LV, NL, PL, PT, RO, SE, SI, SK, NO, CH, TR); substance with a Community workplace exposure limit | CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25 | ≥ 75 | Asp. Tox. 1, H304 |
| reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate | CAS-No.: 125643-61-0 EC-No.: 406-040-9 EC Index-No.: 607-530-00-7 REACH-no: 01-0000015551- | 1 – 5 | Aquatic Chronic 4, H413 |
| bis(nonylphenyl)amine | CAS-No.: 36878-20-3 EC-No.: 253-249-4 REACH-no: 01-2119488911- 28 | 0.5 – 2.5 | Aquatic Chronic 4, H413 (M=0) |
| Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil | CAS-No.: 64742-56-9 EC-No.: 265-159-2 EC Index-No.: 649-469-00-9 REACH-no: 01-2119480132- | 0.1 – 2.5 | Asp. Tox. 1, H304 |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil substance with national workplace exposure limit(s) (BG, CZ, DK, ES, GB, HR, NL, SE, CH, TR); substance with a Community workplace exposure limit | CAS-No.: 64742-65-0 EC-No.: 265-169-7 EC Index-No.: 649-474-00-6 REACH-no: 01-2119471299- 27 | 0.1 – 2.5 | Asp. Tox. 1, H304 |
| Paraffin oils (petroleum), catalytic dewaxed heavy; Baseoil | CAS-No.: 64742-70-7 EC-No.: 265-174-4 EC Index-No.: 649-477-00-2 REACH-no: 01-2119487080- 42 | 0.1 – 2.5 | Asp. Tox. 1, H304 |
| Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) | CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33 | 0.5 – 2.5 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|--|--|---|
| Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) | CAS-No.: 93819-94-4 EC-No.: 298-577-9 REACH-no: 01-2119543726- 33 | (6.25 ≤C < 100) Skin Irrit. 2, H315 (10 ≤C < 12.5) Eye Irrit. 2, H319 (12.5 ≤C < 100) Eye Dam. 1, H318 |

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : After adequate first aid, no further treatment is required unless symptoms reappear. Symptoms/effects after inhalation : After adequate first aid, no further treatment is required unless symptoms reappear. Symptoms/effects after eye contact : After adequate first aid, no further treatment is required unless symptoms reappear. Symptoms/effects after eye contact : After adequate first aid, no further treatment is required unless symptoms reappear. Symptoms/effects after ingestion : After adequate first aid, no further treatment is required unless symptoms reappear.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Eliminate all ignition sources if safe to do so.

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Wear suitable

protective clothing, gloves and eye/face protection. For further information refer to section 8: $\frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{2} \left(\frac{1}{2} \right) \left(\frac{1}{2}$

"Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

27/12/2021 (Revision date) GB - en 3/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 40 °C

Storage area : Store away from heat. Store in a well-ventilated place.
Special rules on packaging : Keep only in original container. Store in a closed container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|---|----------|
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| IOEL TWA | 5 mg/m³ |
| IOEL STEL | 10 mg/m³ |
| United Kingdom - Occupational Exposure Limits | |
| WEL TWA (OEL TWA) [1] 5 mg/m³ | |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) | |
| EU - Indicative Occupational Exposure Limit (IOEL) | |
| IOEL TWA | 5 mg/m³ |
| IOEL STEL | 10 mg/m³ |
| United Kingdom - Occupational Exposure Limits | |
| WEL TWA (OEL TWA) [1] | 5 mg/m³ |
| WEL STEL (OEL STEL) | 10 mg/m³ |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

| Hand protection | | | | | |
|-----------------|---|-------------------|----------------|-------------|------------|
| Туре | Material | Permeation | Thickness (mm) | Penetration | Standard |
| | Nitrile rubber (NBR), Neoprene rubber (HNBR) | 5 (> 240 minutes) | 0.7 | 3 (> 0.65) | EN ISO 374 |
| | Polyvinylchloride (PVC) | 2 (> 30 minutes) | 0.4 | 3 (> 0.65) | EN ISO 374 |

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Brown. Odour : characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : > -42 °C Boiling point : Not available Flammability : Not applicable : Not available Explosive limits Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 201 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available : 47.1 mm²/s @40°C Viscosity, kinematic Solubility : insoluble in water. : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vapour pressure at 50 °C : Not available

Density : 854 kg/m³ @15°C

Relative density : Not available

Relative vapour density at 20 °C : Not available

Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LD50 oral (rat) > 5000 mg/kg bodyweight LD50 dermal (rabbit) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 5.53 mg/l/4h

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0)

| LD50 oral (rat) | > 2000 mg/kg |
|-------------------|--------------|
| LD50 dermal (rat) | > 2000 mg/kg |

bis(nonylphenyl)amine (36878-20-3)

| LD50 oral (rat) | > 5000 mg/kg bodyweight |
|-------------------|-------------------------|
| LD50 dermal (rat) | > 2000 mg/kg |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| LD50 oral (rat) LD50 dermal (rabbit) Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LD50 oral (rat) D50 o | Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) | | |
|--|---|---|--|
| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LD50 oral (rat) > 5000 mg/kg bodyweight LD50 dermal (rabbit) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 5.53 mg/l/4h Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LD50 oral (rat) > 5000 mg/kg bodyweight LD50 dermal (rat) > 5000 mg/kg bodyweight LD50 dermal (rat) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 2.18 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic; 64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (oral, rat, 90 days) 25 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animat: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) | | | |
| LD50 oral (rat) | LD50 dermal (rabbit) | > 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) | |
| LD50 dermal (rabbit) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 5.53 mg/l/4h Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LD50 oral (rat) > 5000 mg/kg bodyweight LD50 dermal (rat) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 2.18 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | Distillates (petroleum), solvent-dewaxed hear | vy paraffinic; Baseoil (64742-65-0) | |
| LC50 inhalation (rat) (Vapours - mg/V4h) Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LD50 oral (rat) > 5000 mg/kg bodyweight LD50 dermal (rat) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/V4h) > 2.18 mg/I/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (dermal, rat/rabbit, 90 days) 25 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | LD50 oral (rat) | > 5000 mg/kg bodyweight | |
| Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LD50 oral (rat) | LD50 dermal (rabbit) | > 5000 mg/kg | |
| LD50 oral (rat) > 5000 mg/kg bodyweight LD50 dermal (rat) (Vapours - mg/l/4h) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 2.18 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (dermal, rat/rabbit, 90 days) 25 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | LC50 inhalation (rat) (Vapours - mg/l/4h) | > 5.53 mg/l/4h | |
| LD50 dermal (rat) > 5000 mg/kg LC50 inhalation (rat) (Vapours - mg/l/4h) > 2.18 mg/l/4h Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (dermal, rat/rabbit, 90 days) 25 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | Distillates (petroleum), solvent-dewaxed ligh | t paraffinic; Baseoil (64742-56-9) | |
| LC50 inhalation (rat) (Vapours - mg/l/4h) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germal relation Germ cell mutagenicity : Not classified Germal relation Germ cell mutagenicity : Not classified Germal relation Germa | LD50 oral (rat) | > 5000 mg/kg bodyweight | |
| Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (dermal, rat/rabbit, 90 days) 2125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | LD50 dermal (rat) | > 5000 mg/kg | |
| Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (dermal, rat/rabbit, 90 days) 2100 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | LC50 inhalation (rat) (Vapours - mg/V4h) | > 2.18 mg/l/4h | |
| Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight NOAEL (dermal, rat/rabbit, 90 days) 2100 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | Skin corrosion/irritation : | Not classified | |
| Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight NOAEL (dermal, rat/rabbit, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | Serious eye damage/irritation : | Not classified | |
| Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight NOAEL (dermal, rat/rabbit, 90 days) 2100 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | Respiratory or skin sensitisation : | Not classified | |
| Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | Germ cell mutagenicity : | Not classified | |
| STOT-single exposure : Not classified STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | Carcinogenicity : | Not classified | |
| STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | Reproductive toxicity : | Not classified | |
| STOT-repeated exposure : Not classified Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | STOT-single exposure : | Not classified | |
| LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | | Not classified | |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | Distillates (petroleum), hydrotreated heavy p | araffinic (64742-54-7) | |
| LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight | |
| NOAEL (dermal, rat/rabbit, 90 days) ≈ 1000 mg/kg bodyweight Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | Distillates (petroleum), solvent-dewaxed hear | vy paraffinic; Baseoil (64742-65-0) | |
| Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | LOAEL (oral, rat, 90 days) | 125 mg/kg bodyweight | |
| LOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified | NOAEL (dermal, rat/rabbit, 90 days) | ≈ 1000 mg/kg bodyweight | |
| (Repeated Dose 90-Day Oral Toxicity in Rodents) Aspiration hazard: Not classified | Distillates (petroleum), solvent-dewaxed ligh | t paraffinic; Baseoil (64742-56-9) | |
| | LOAEL (oral, rat, 90 days) | | |
| 72801 - TIDAL POWER SPECIAL UHPD 5W-20 | Aspiration hazard : | Not classified | |
| | 72801 - TIDAL POWER SPECIAL UHPD 5W-20 | | |
| Viscosity, kinematic 47.1 mm²/s @40°C | Viscosity, kinematic | 47.1 mm²/s @40°C | |

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

: Not classified

Hazardous to the aquatic environment, short-term

acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Not rapidly degradable

27/12/2021 (Revision date) GB - en 7/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | |
|---|--|--|
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas | |
| EC50 - Crustacea [1] | > 10000 mg/l Daphnia magna | |
| reaction mass of isomers of: C7-9-alkyl 3-(3,5- | -di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0) | |
| LC50 - Fish [1] | > 1000 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) | |
| EC50 - Crustacea [1] | > 100 mg/l Daphnia magna | |
| EC50 72h - Algae [1] | > 3 mg/l Desmodesmus subspicatus | |
| bis(nonylphenyl)amine (36878-20-3) | | |
| LC50 - Fish [1] | > 100 mg/l Danio rerio | |
| EC50 - Crustacea [1] | > 100 mg/l Daphnia magna | |
| EC50 72h - Algae [1] | > 100 mg/l Desmodesmus subspicatus | |
| Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl) | bis dithiophosphate) (93819-94-4) | |
| LC50 - Fish [1] | 4.5 mg/l Oncorhynchus mykiss (Rainbow trout) | |
| EC50 - Crustacea [1] | 5.4 mg/l Daphnia magna | |
| ErC50 algae | 2.1 mg/l Selenastrum capricornutum | |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) | | |
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas | |
| EC50 - Crustacea [1] | > 10000 mg/l Daphnia magna | |
| NOEC chronic fish | 1000 mg/l Oncorhynchus mykiss | |
| NOEC chronic crustacea | 10 mg/l Daphnia magna | |
| NOEC chronic algae | > 100 mg/l Pseudokirchneriella subcapitata | |
| Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) | | |
| LC50 - Fish [1] | > 100 mg/l Pimephales promelas | |
| EC50 - Crustacea [1] | > 10000 mg/l Daphnia magna | |
| NOEC chronic fish | > 1000 mg/l Oncorhynchus mykiss | |
| NOEC chronic crustacea | 10 mg/l Daphnia magna | |
| NOEC chronic algae | > 100 mg/l Pseudokirchneriella subcapitata | |
| 12.2 Parsistance and degradability | | |

12.2. Persistence and degradability

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | |
|---|----------------------------|
| Persistence and degradability | Not readily biodegradable. |
| Biodegradation | 31 % 28 d OECD 301F |
| reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0) | |
| Persistence and degradability | Not biodegradable. |
| Biodegradation | 1 % 28D |
| bis(nonylphenyl)amine (36878-20-3) | |
| Persistence and degradability | Not readily biodegradable. |
| Biodegradation | 1 % |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) | |
|---|------------------------------------|
| Persistence and degradability | Not readily biodegradable. |
| Biodegradation | 1.5 % OECD-testrichtlijn 301 B |
| Distillates (petroleum), solvent-dewaxed heav | y paraffinic; Baseoil (64742-65-0) |
| Persistence and degradability | Not readily biodegradable. |
| Biodegradation | 31 % 28 d OECD 301F |
| Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil (64742-56-9) | |
| Persistence and degradability | Not readily biodegradable. |
| Biodegradation | 31 % OECD 301F |

12.3. Bioaccumulative potential

| Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7) | | |
|---|---|--|
| Partition coefficient n-octanol/water (Log Kow) | 3.9 – 6 | |
| reaction mass of isomers of: C7-9-alkyl 3-(3,5- | -di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0) | |
| Bioconcentration factor (BCF REACH) | 260 35 D, Oncorhynchus mykiss (regenboogforel) | |
| Partition coefficient n-octanol/water (Log Pow) | 9.2 | |
| bis(nonylphenyl)amine (36878-20-3) | | |
| Bioconcentration factor (BCF REACH) | 1584.89 | |
| Partition coefficient n-octanol/water (Log Pow) | > 7.6 | |
| Bioaccumulative potential | Bioaccumulative potential. | |
| Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl) | } bis dithiophosphate) (93819-94-4) | |
| Partition coefficient n-octanol/water (Log Pow) | 0.9 @23℃ | |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil (64742-65-0) | | |
| Bioconcentration factor (BCF REACH) | 260 | |
| Partition coefficient n-octanol/water (Log Pow) | 9.2 | |

12.4. Mobility in soil

| reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (125643-61-0) | |
|---|------------------------|
| Ecology - soil | Adsorbs into the soil. |
| bis(nonylphenyl)amine (36878-20-3) | |
| Ecology - soil | Adsorbs into the soil. |
| Zinc bis{O-(6-methylheptyl)} bis {O(sec-butyl)} bis dithiophosphate) (93819-94-4) | |
| Ecology - soil | Adsorbs into the soil. |

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

27/12/2021 (Revision date) GB - en 9/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations :

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID | |
|--|----------------|----------------|----------------|----------------|--|
| 14.1. UN number or ID number | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| 14.2. UN proper shipping | g name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| 14.3. Transport hazard class(es) | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| 14.4. Packing group | | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| 14.5. Environmental haz | ards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable | |
| No supplementary information available | | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

27/12/2021 (Revision date) GB - en 10/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Abbreviations and acronyms: | | | |
|-----------------------------|---|--|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | | |
| ATE | Acute Toxicity Estimate | | |
| BLV | Biological limit value | | |
| CAS-No. | Chemical Abstract Service number | | |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 | | |
| DMEL | Derived Minimal Effect level | | |
| DNEL | Derived-No Effect Level | | |
| EC50 | Median effective concentration | | |
| EC-No. | European Community number | | |
| EN | European Standard | | |
| IATA | International Air Transport Association | | |
| IMDG | International Maritime Dangerous Goods | | |
| LC50 | Median lethal concentration | | |
| LD50 | Median lethal dose | | |
| LOAEL | Lowest Observed Adverse Effect Level | | |
| NOAEC | No-Observed Adverse Effect Concentration | | |
| NOAEL | No-Observed Adverse Effect Level | | |
| NOEC | No-Observed Effect Concentration | | |
| OEL | Occupational Exposure Limit | | |
| PBT | Persistent Bioaccumulative Toxic | | |
| PNEC | Predicted No-Effect Concentration | | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 | | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | | |
| SDS | Safety Data Sheet | | |
| vPvB | Very Persistent and Very Bioaccumulative | | |
| WGK | Water Hazard Class | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | | |
|-------------------------------------|---|--|
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 | |
| Aquatic Chronic 4 | Hazardous to the aquatic environment — Chronic Hazard, Category 4 | |
| Asp. Tox. 1 | Aspiration hazard, Category 1 | |
| EUH210 | Safety data sheet available on request. | |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| H304 | May be fatal if swallowed and enters airways. | |
| H315 | Causes skin irritation. | |
| H318 | Causes serious eye damage. | |
| H319 | Causes serious eye irritation. | |
| H411 | Toxic to aquatic life with long lasting effects. | |
| H413 | May cause long lasting harmful effects to aquatic life. | |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.