

## GLACIER COOLANT RTU 40

### Ready to use Coolant

**GLACIER COOLANT RTU 40** is a silicate, amine-, nitrites- and phosphates free ready to use coolant (50% diluted) providing frost and corrosion protection. For the perfect operation of water-cooled internal combustion engines.

**GLACIER COOLANT RTU 40** is based mono ethylene glycol in combination with a powerful additive technology to obtain the following benefits:

- Corrosion protection, also for non-ferro metals
- Frost protection
- Boiling protection
- Seal compatibility

**GLACIER COOLANT RTU 40** meets the following performance criteria:

British Standard (BS) 6580  
CUNA NC 956-16

AFNOR 15-601

ASTM D-3306

SAE J-1034

### Typical Analysis

Properties	Unit	Method	Typical Value
Colour		Visual	Blue
Density @15°C	kg/m <sup>3</sup>	ASTM D4052	1060
Refractive Index, 20°C		ASTM D1218	1.435
Equilibrium Boiling Point	°C	ASTM D1120	125
Reserve Alkalinity (pH 5.5)		ASTM D1121	3.0
pH Value		ASTM D1287	8.4
Freezing Protection	°C	ASTM D1177	-26
Date Issued: 19-01-2021	Supersedes: 26-06-2017	Revision Nr.: 02	

